The Journal of Cell Biology

Volume 141, 1998



Published biweekly by
The Rockefeller University Press
Managing Editor
Michael T. Rossner
Editorial Assistants
Sati Motieram, Adaobi Obi,
and Leslie Thomas
Copyediting and Production
Justin Collins, Carrie Clark,
Laura N. Buchholz, Davide R. Dickson,
and C. Kelly White

Editor-in-Chief

Norton B. Gilula

Associate Editors

Don W. Cleveland
Werner Franke
Elaine Fuchs
Ira Mellman
W. James Nelson
Louis F. Reichardt
Randy Schekman
Kenneth M. Yamada

Editorial Board

Kathryn Anderson
Richard G.W. Anderson
Vann Bennett
Marianne Bronner-Fraser
Eric J. Brown
Lewis Cantley
John S. Condeelis
John Cooper
Pietro DeCamilli
Elisabetta Dejana
David J. DeRosier
David Drubin
William Earnshaw
Scott Emr
Larry Gerace
Larry Goldstein
Barry Gumbiner
Alan Hall
Ulrich Hartl
Nobutaka Hirokawa
H. Robert Horvitz
Alan Rick Horwitz
Tony Hunter
Keith Joiner
Eric Karsenti
Hynda Kleinman
Stanley J. Korsmeyer
Arthur D. Lander
Jeanne Lawrence
Leslie Leinwand
Joan Massague
Jacopo Meldolesi
Timothy J. Mitchison
Randall T. Moon
Andrew Murray
Bjorn Olsen
Leslie Parise
Mu-ming Poo
Martin Raff
Natasha V. Raikhel
Tom A. Rapoport
Daniel B. Rifkin
Mark Rose
Joshua Sanes
Richard Scheller
Sandra Schmid
Trina Schroer
Jean Schwarzbauer
Masatoshi Takeichi
Shoichiro Tsukita
Graham Warren
Marino Zerial

Copyright © 1998 by The Rockefeller University Press

Contents:

Volume 141, Number 1, April 6, 1998

Commentary

1 **Cell crawling: First the motor, now the transmission.**
S.R. Heidemann and R.E. Buxbaum

Regular Articles

5 **Homologous chromosome pairing in *Drosophila melanogaster* proceeds through multiple independent initiations.**
J.C. Fung, W.F. Marshall, A. Dernburg, D.A. Agard, and J.W. Sedat

21 **Yeast nuclei display prominent centromere clustering that is reduced in nondividing cells and in meiotic prophase.**
Q.-w. Jin, E. Trelles-Sticken, H. Scherthan, and J. Loidl

31 **Major binding sites for the nuclear import receptor are the internal nucleoporin Nup153 and the adjacent nuclear filament protein Tpr.**
S. Shah, S. Tugendreich, and D. Forbes

51 **Golgi vesiculation and lysosome dispersion in cells lacking cytoplasmic dynein.**
A. Harada, Y. Takei, Y. Kanai, Y. Tanaka, S. Nonaka, and N. Hirokawa

61 **Cargo selection by the COPII budding machinery during export from the ER.**
M. Aridor, J. Weissman, S. Bannykh, C. Nuoffer, and W.E. Balch

71 **Pan1p, yeast eps15, functions as a multivalent adaptor that coordinates protein–protein interactions essential for endocytosis.**
B. Wendland and S.D. Emr

85 **Dynamin-mediated internalization of caveolae.**
J.R. Henley, E.W.A. Krueger, B.J. Oswald, and M.A. McNiven

101 **Dynamin at the neck of caveolae mediates their budding to form transport vesicles by GTP-driven fission from the plasma membrane of endothelium.**
P. Oh, D.P. McIntosh, and J.E. Schnitzer

115 **Apical plasma membrane proteins and endolyn-78 travel through a subapical compartment in polarized WIF-B hepatocytes.**
G. Ihrke, G.V. Martin, M.R. Shanks, M. Schrader, T.A. Schroer, and A.L. Hubbard

135 **Apical vesicles bearing inositol 1,4,5-trisphosphate receptors in the Ca^{2+} initiation site of ductal epithelium of submandibular gland.**
M. Yamamoto-Hino, A. Miyawaki, A. Segawa, E. Adachi, S. Yamashina, T. Fujimoto, T. Sugiyama, T. Furuichi, M. Hasegawa, and K. Mikoshiba

143 **The 13-kD FK506 binding protein, FKBP13, interacts with a novel homologue of the erythrocyte membrane cytoskeletal protein 4.1.**
L.D. Walensky, P. Gascard, M.E. Field, S. Blackshaw, J.G. Conboy, N. Mohandas, and S.H. Snyder

155 **Three-dimensional structure of *Acanthamoeba castellanii* myosin-IB (MIB) determined by cryoelectron microscopy of decorated actin filaments.**
J.D. Jontes, E.M. Ostap, T.D. Pollard, and R.A. Milligan

163 **Pericentrin and γ-tubulin form a protein complex and are organized into a novel lattice at the centrosome.**
J.B. Dictenberg, W. Zimmerman, C.A. Sparks, A. Young, C. Vidair, Y. Zheng, W. Carrington, F.S. Fay, and S.J. Doxsey

175 **Rho guanosine triphosphatase mediates the selective stabilization of microtubules induced by lysophosphatidic acid.**
T.A. Cook, T. Nagasaki, and G.G. Gundersen

187 **A new member of the Rho family, Rnd1, promotes disassembly of actin filament structures and loss of cell adhesion.**
C.D. Nobes, I. Lauritzen, M.-G. Mattei, S. Paris, A. Hall, and P. Chardin

199 **ZO-3, a novel member of the MAGUK protein family found at the tight junction, interacts with ZO-1 and occludin.**
J. Haskins, L. Gu, E.S. Wittchen, J. Hibbard, and B.R. Stevenson

209 **Linking integrin $\alpha_6\beta_4$-based cell adhesion to the intermediate filament cytoskeleton: Direct interaction between the β_4 subunit and plectin at multiple molecular sites.**
G.A. Rezniczek, J.M. de Pereda, S. Reipert, and G. Wiche

227 **The Ig superfamily cell adhesion molecule, apCAM, mediates growth cone steering by substrate–cytoskeletal coupling.**
D.M. Suter, L.D. Errante, V. Belotserkovsky, and P. Forscher

241 **Activation of distinct $\alpha_5\beta_1$-mediated signaling pathways by fibronectin's cell adhesion and matrix assembly domains.**
D.C. Hocking, J. Sottile, and P.J. McKeown-Longo

255 **Processing of laminin-5 and its functional consequences: Role of plasmin and tissue-type plasminogen activator.**
L.E. Goldfinger, M.S. Stack, and J.C.R. Jones

267 **Association between the rat homologue of CO-029, a metastasis-associated tetraspanin molecule and consumption coagulopathy.**
C. Claas, S. Seiter, A. Claas, L. Savelyeva, M. Schwab, and M. Zöller

281 **The tyrosine kinase p56^{lck} mediates activation of swelling-induced chloride channels in lymphocytes.**
A. Lepple-Wienhues, I. Szabò, T. Laun, N.K. Kaba, E. Gulbins, and F. Lang

287 **Dynamic interaction of PTPμ with multiple cadherins in vivo.**
S.M. Brady-Kalnay, T. Mourton, J.P. Nixon, G.E. Pietz, M. Kinch, H. Chen, R. Brackenbury, D.L. Rimm, R.L. Del Vecchio, and N.K. Tonks

297 **A putative catenin–cadherin system mediates morphogenesis of the *Caenorhabditis elegans* embryo.**
M. Costa, W. Raich, C. Agbunag, B. Leung, J. Hardin, and J.R. Priess

Volume 141, Number 2, April 20, 1998

309 **Centromere protein B null mice are mitotically and meiotically normal but have lower body and testis weights.**
D.F. Hudson, K.J. Fowler, E. Earle, R. Saffery, P. Kalitsis, H. Trowell, J. Hill, N.G. Wreford, D.M. de Kretser, M.R. Cancilla, E. Howman, L. Hii, S.M. Cutts, D.V. Irvine, and K.H.A. Choo

321 **Human autoantibodies reveal titin as a chromosomal protein.**
C. Machado, C.E. Sunkel, and D.J. Andrew

335 **The genomic sequences bound to special AT-rich sequence-binding protein 1 (SATB1) in vivo in Jurkat T cells are tightly associated with the nuclear matrix at the bases of the chromatin loops.**
I. de Belle, S. Cai, and T. Kohwi-Shigematsu

349 **Cytoplasmic tail phosphorylation of the α-factor receptor is required for its ubiquitination and internalization.**
L. Hicke, B. Zanolari, and H. Riezman

359 **Mannose 6–phosphate receptors are sorted from immature secretory granules via adaptor protein AP-1, clathrin, and syntaxin 6–positive vesicles.**
J. Klumperman, R. Kuliawat, J.M. Griffith, H.J. Geuze, and P. Arvan

373 **Peroxisome biogenesis: Involvement of ARF and coatomer.**
M. Passreiter, M. Anton, D. Lay, R. Frank, C. Harter, F.T. Wieland, K. Gorgas, and W.W. Just

385 **A SecY homologue is required for the elaboration of the chloroplast thylakoid membrane and for normal chloroplast gene expression.**
L.M. Roy and A. Barkan

397 **Occludin-deficient embryonic stem cells can differentiate into polarized epithelial cells bearing tight junctions.**
M. Saitou, K. Fujimoto, Y. Doi, M. Itoh, T. Fujimoto, M. Furuse, H. Takano, T. Noda, and Sh. Tsukita

409 **Association of the myosin-binding subunit of myosin phosphatase and moesin: Dual regulation of moesin phosphorylation by Rho-associated kinase and myosin phosphatase.**
Y. Fukata, K. Kimura, N. Oshiro, H. Saya, Y. Matsuura, and K. Kaibuchi

419 **Image reconstructions of microtubules decorated with monomeric and dimeric kinesins: Comparison with x-ray structure and implications for motility.**
A. Hoenger, S. Sack, M. Thormählen, A. Marx, J. Müller, H. Gross, and E. Mandelkow

431 **Defect in synaptic vesicle precursor transport and neuronal cell death in KIF1A motor protein–deficient mice.**
Y. Yonekawa, A. Harada, Y. Okada, T. Funakoshi, Y. Kanai, Y. Takei, S. Terada, T. Noda, and N. Hirokawa

443 **Kinesin light chains are essential for axonal transport in *Drosophila*.**
J.G. Gindhart, Jr., C.J. Desai, S. Beushausen, K. Zinn, and L.S.B. Goldstein

455 ***Drosophila* centrosomin protein is required for male meiosis and assembly of the flagellar axoneme.**
K. Li, E.Y. Xu, J.K. Cecil, F.R. Turner, T.L. Megraw, and T.C. Kaufman

469 **The distribution of polycomb-group proteins during cell division and development in *Drosophila* embryos: Impact on models for silencing.**
P. Buchenau, J. Hodgson, H. Strutt, and D.J. Arndt-Jovin

483 **A role for *Dictyostelium* RacE in cortical tension and cleavage furrow progression.**
N. Gerald, J. Dai, H.P. Ting-Beall, and A. De Lozanne

493 **Accelerated nerve regeneration mediated by Schwann cells expressing a mutant form of the POU protein SCIP.**
M. Gondré, P. Burrola, and D.E. Weinstein

503 **p21 is a critical CDK2 regulator essential for proliferation control in *Rb*-deficient cells.**
J. Brugarolas, R.T. Bronson, and T. Jacks

515 **Integrin and cadherin synergy regulates contact inhibition of migration and motile activity.**
A. Huttenlocher, M. Lakonishok, M. Kinder, S. Wu, T. Truong, K.A. Knudsen, and A.F. Horwitz

527 **Modulation of β1A integrin functions by tyrosine residues in the β1 cytoplasmic domain.**
T. Sakai, Q. Zhang, R. Fässler, and D.F. Mosher

539 **Rho-mediated contractility exposes a cryptic site in fibronectin and induces fibronectin matrix assembly.**
C. Zhong, M. Chrzanowska-Wodnicka, J. Brown, A. Shaub, A.M. Belkin, and K. Burridge

Volume 141, Number 3, May 4, 1998

553 **NRP/B, a novel nuclear matrix protein, associates with $p110^{RB}$ and is involved in neuronal differentiation.**
T.-A. Kim, J. Lim, S. Ota, S. Raja, R. Rogers, B. Rivnay, H. Avraham, and S. Avraham

567 **Rvs161p interacts with Fus2p to promote cell fusion in *Saccharomyces cerevisiae*.**
V. Brizzio, A.E. Gammie, and M.D. Rose

585 **Identification of two regions in apolipoprotein B100 that are exposed on the cytosolic side of the endoplasmic reticulum membrane.**
X. Du, J.D. Stoops, J.R. Mertz, C.M. Stanley, and J.L. Dixon

601 **Targeting of protein kinase Cα to caveolae.**
C. Mineo, Y.-S. Ying, C. Chapline, S. Jaken, and R.G.W. Anderson

611 **In polarized MDCK cells basolateral vesicles arise from clathrin-γ-adaptin–coated domains on endosomal tubules.**
C.E. Futter, A. Gibson, E.H. Allchin, S. Maxwell, L.J. Ruddock, G. Odorizzi, D. Domingo, I.S. Trowbridge, and C.R. Hopkins

625 **Peroxisome degradation by microautophagy in *Pichia pastoris*: Identification of specific steps and morphological intermediates.**
Y. Sakai, A. Koller, L.K. Rangell, G.A. Keller, and S. Subramani

637 **Folding of insulin receptor monomers is facilitated by the molecular chaperones calnexin and calreticulin and impaired by rapid dimerization.**
J. Bass, G. Chiu, Y. Argon, and D.F. Steiner

647 **Calpain regulates actin remodeling during cell spreading.**
D.A. Potter, J.S. Tirnauer, R. Janssen, D.E. Croall, C.N. Hughes, K.A. Fiacco, J.W. Mier, M. Maki, and I.M. Herman

663 **The mammalian γ-tubulin complex contains homologues of the yeast spindle pole body components Spc97p and Spc98p.**
S.M. Murphy, L. Urbani, and T. Stearns

675 **Xgrip109: A γ tubulin–associated protein with an essential role in γ tubulin ring complex (γTuRC) assembly and centrosome function.**
O.C. Martin, R.N. Gunawardane, A. Iwamatsu, and Y. Zheng

689 **Characterization of the human homologue of the yeast Spc98p and its association with γ-tubulin.**
A.-M. Tassin, C. Celati, M. Moudjou, and M. Bornens

703 **Anaphase A chromosome movement and poleward spindle microtubule flux occur at similar rates in *Xenopus* extract spindles.**
A. Desai, P.S. Maddox, T.J. Mitchison, and E.D. Salmon

715 **Agrin can mediate acetylcholine receptor gene expression in muscle by aggregation of muscle-derived neuregulins.**
T. Meier, F. Masciulli, C. Moore, F. Schoumacher, U. Eppenberger, A.J. Denzer, G. Jones, and H.R. Brenner

727 **Absence of the mid-sized neurofilament subunit decreases axonal calibers, levels of light neurofilament (NF-L), and neurofilament content.**
G.A. Elder, V.L. Friedrich, Jr., P. Bosco, C. Kang, A. Gourov, P.-H. Tu, V.M.-Y. Lee, and R.A. Lazzarini

741 **Altered cellular responses by varying expression of a ribosomal protein gene: Sequential coordination of enhancement and suppression of ribosomal protein S3a gene expression induces apoptosis.**
Ho. Naora, I. Takai, M. Adachi, and Hi. Naora

755 **Vinculin is part of the cadherin–catenin junctional complex: Complex formation between α-catenin and vinculin.**
E.E. Weiss, M. Kroemker, A.-H. Rüdiger, B.M. Jockusch, and M. Rüdiger

765 **Effects of forced expression of an NH_2-terminal truncated β-catenin on mouse intestinal epithelial homeostasis.**
M.H. Wong, B. Rubinfeld, and J.I. Gordon

779 **The juxtamembrane region of the cadherin cytoplasmic tail supports lateral clustering, adhesive strengthening, and interaction with p120^{ctn}.**

A.S. Yap, C.M. Niessen, and B.M. Gumbiner

791 **Regulation of endothelial cell motility by complexes of tetraspan molecules CD81/TAPA-1 and CD151/PETA-3 with α3β1 integrin localized at endothelial lateral junctions.**

M. Yáñez-Mó, A. Alfranca, C. Cabañas, M. Marazuela, R. Tejedor, M.A. Ursa, L.K. Ashman, M.O. de Landázuri, and F. Sánchez-Madrid

805 **PDGF, TGF-β, and heterotypic cell–cell interactions mediate endothelial cell–induced recruitment of 10T1/2 cells and their differentiation to a smooth muscle fate.**

K.K. Hirschi, S.A. Rohovsky, and P.A. D'Amore

815 **Mannose 6-phosphate/insulin-like growth factor–II receptor targets the urokinase receptor to lysosomes via a novel binding interaction.**

A. Nykjær, E.I. Christensen, H. Vorum, H. Hager, C.M. Petersen, H. Røigaard, H.Y. Min, F. Vilhardt, L.B. Møller, S. Kornfeld, and J. Gliemann

829 **Calcium determines the supramolecular organization of fibrillin-rich microfibrils.**

T.J. Wess, P.P. Purslow, M.J. Sherratt, J. Ashworth, C.A. Shuttleworth, and C.M. Kielty

839 **Bone matrix proteins: Isolation and characterization of a novel cell-binding keratan sulfate proteoglycan (osteoadherin) from bovine bone.**

M. Wendel, Y. Sommarin, and D. Heinegård

Volume 141, Number 4, May 18, 1998

849 **Evidence for a role of CLIP-170 in the establishment of metaphase chromosome alignment.**

D. Dujardin, U.I. Wacker, A. Moreau, T.A. Schroer, J.E. Rickard, and J.R. De Mey

863 **Nucleocytoplasmic shuttling factors including Ran and CRM1 mediate nuclear export of NFAT in vitro.**

R.H. Kehlenbach, A. Dickmanns, and L. Gerace

875 **Nuclear localization of cyclin B1 controls mitotic entry after DNA damage.**

P. Jin, S. Hardy, and D.O. Morgan

887 **The β subunit of the Sec61 complex facilitates cotranslational protein transport and interacts with the signal peptidase during translocation.**

K.-U. Kalies, T.A. Rapoport, and E. Hartmann

895 **Positive charges determine the topology and functionality of the transmembrane domain in the chloroplastic outer envelope protein Toc34.**

T. May and J. Soll

905 **Filipin-dependent inhibition of cholera toxin: Evidence for toxin internalization and activation through caveolae-like domains.**

P.A. Orlandi and P.H. Fishman

917 **Ganglioside structure dictates signal transduction by cholera toxin and association with caveolae-like membrane domains in polarized epithelia.**

A.A. Wolf, M.G. Jobling, S. Wimer-Mackin, M. Ferguson-Maltzman, J.L. Madara, R.K. Holmes, and W.I. Lencer

929 **Lipid domain structure of the plasma membrane revealed by patching of membrane components.**

T. Harder, P. Scheiffele, P. Verkade, and K. Simons

943 **Myosin heavy chains IIa and IId are functionally distinct in the mouse.**

C.A. Sartorius, B.D. Lu, L. Acakpo-Satchivi, R.P. Jacobsen, W.C. Byrnes, and L.A. Leinwand

955 **An ordered inheritance strategy for the Golgi apparatus: Visualization of mitotic disassembly reveals a role for the mitotic spindle.**

D.T. Shima, N. Cabrera-Poch, R. Pepperkok, and G. Warren

967 **Analysis of the *Saccharomyces* spindle pole by matrix-assisted laser desorption/ionization (MALDI) mass spectrometry.**

P.A. Wigge, O.N. Jensen, S. Holmes, S. Souès, M. Mann, and J.V. Kilmartin

979 **A dynein light chain is essential for the retrograde particle movement of intraflagellar transport (IFT).**

G.J. Pazour, C.G. Wilkerson, and G.B. Witman

993 ***Chlamydomonas* kinesin-II–dependent intraflagellar transport (IFT): IFT particles contain proteins required for ciliary assembly in *Caenorhabditis elegans* sensory neurons.**

D.G. Cole, D.R. Diener, A.L. Himelblau, P.L. Beech, J.C. Fuster, and J.L. Rosenbaum

1009 ***scully*, an essential gene of *Drosophila*, is homologous to mammalian mitochondrial type II L-3-hydroxyacyl-CoA dehydrogenase/amyloid-β peptide-binding protein.**

L. Torroja, D. Ortuño-Sahagún, A. Ferrús, B. Hämmerle, and J.A. Barbas

1019 **The α5β1 integrin mediates elimination of amyloid-β peptide and protects against apoptosis.**
M.L. Matter, Z. Zhang, C. Nordstedt, and E. Ruoslahti

1031 **Detection of a novel intraneuronal pool of insoluble amyloid β protein that accumulates with time in culture.**
D.M. Skovronsky, R.W. Doms, and V.M.-Y. Lee

1041 **Mammalian granulocyte–macrophage colony-stimulating factor receptor expressed in primary avian hematopoietic progenitors: Lineage-specific regulation of proliferation and differentiation.**
O. Wessely, E.-M. Deiner, K.C. Lim, G. Mellitzer, P. Steinlein, and H. Beug

1053 **6-C-kine (SLC), a lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3β receptor CCR7.**
J.J. Campbell, E.P. Bowman, K. Murphy, K.R. Youngman, M.A. Siani, D.A. Thompson, L. Wu, A. Zlotnik, and E.C. Butcher

1061 **Epithelial V-like antigen (EVA), a novel member of the immunoglobulin superfamily, expressed in embryonic epithelia with a potential role as homotypic adhesion molecule in thymus histogenesis.**
M. Guttinger, F. Sutti, M. Panigada, S. Porcellini, B. Merati, M. Mariani, T. Teesalu, G.G. Consalez, and F. Grassi

1073 **Modulation of integrin activity is vital for morphogenesis.**
M.D. Martin-Bermudo, O.M. Dunin-Borkowski, and N.H. Brown

1083 **NF-κB mediates αvβ3 integrin-induced endothelial cell survival.**
M. Scatena, M. Almeida, M.L. Chaisson, N. Fausto, R.F. Nicosia, and C.M. Giachelli

1095 ADDITIONS AND CORRECTIONS

Volume 141, Number 5, June 1, 1998

1097 **The influence of huntingtin protein size on nuclear localization and cellular toxicity.**
A.S. Hackam, R. Singaraja, C.L. Wellington, M. Metzler, K. McCutcheon, T. Zhang, M. Kalchman, and M.R. Hayden

1107 **Sec35p, a novel peripheral membrane protein, is required for ER to Golgi vesicle docking.**
S.M. VanRheenen, X. Cao, V.V. Lupashin, C. Barlowe, and M.G. Waters

1121 **Deficient peptide loading and MHC class II endosomal sorting in a human genetic immunodeficiency disease: The Chediak-Higashi syndrome.**
W. Faigle, G. Raposo, D. Tenza, V. Pinet, A.B. Vogt, H. Kropshofer, A. Fischer, G. de Saint-Basile, and S. Amigorena

1135 **Patterning muscles using organizers: Larval muscle templates and adult myoblasts actively interact to pattern the dorsal longitudinal flight muscles of *Drosophila*.**
S. Roy and K. VijayRaghavan

1147 **A role for Cdc42 in macrophage chemotaxis.**
W.E. Allen, D. Zicha, A.J. Ridley, and G.E. Jones

1159 **ZYG-9, a *Caenorhabditis elegans* protein required for microtubule organization and function, is a component of meiotic and mitotic spindle poles.**
L.R. Matthews, P. Carter, D. Thierry-Mieg, and K. Kemphues

1169 **The yeast spindle pole body component Spc72p interacts with Stu2p and is required for proper microtubule assembly.**
X.P. Chen, H. Yin, and T.C. Huffaker

1181 **Localization of Mad2 to kinetochores depends on microtubule attachment, not tension.**
J.C. Waters, R.-H. Chen, A.W. Murray, and E.D. Salmon

1193 **Microinjection of antibody to Mad2 protein into mammalian cells in mitosis induces premature anaphase.**
G.J. Gorbsky, R.-H. Chen, and A.W. Murray

1207 **Differential subcellular localization of protein phosphatase-1 α, γ1, and δ isoforms during both interphase and mitosis in mammalian cells.**
P.R. Andreassen, F.B. Lacroix, E. Villa-Moruzzi, and R.L. Margolis

1217 **FH3, a domain found in formins, targets the fission yeast formin Fus1 to the projection tip during conjugation.**
J. Petersen, O. Nielsen, R. Egel, and I.M. Hagan

1229 **Defining the interactions between intermediate filaments and desmosomes.**
E.A. Smith and E. Fuchs

1243 **Death-effector filaments: Novel cytoplasmic structures that recruit caspases and trigger apoptosis.**
R.M. Siegel, D.A. Martin, L. Zheng, S.Y. Ng, J. Bertin, J. Cohen, and M.J. Lenardo

1255 **E1B 19K inhibits Fas-mediated apoptosis through FADD-dependent sequestration of FLICE.**
D. Perez and E. White

1267 **Enhanced secretion of amylase from exocrine pancreas of connexin32-deficient mice.**
M. Chanson, M. Fanjul, D. Bosco, E. Nelles, S. Suter, K. Willecke, and P. Meda

1277 **Lumican regulates collagen fibril assembly: Skin fragility and corneal opacity in the absence of lumican.**
S. Chakravarti, T. Magnuson, J.H. Lass, K.J. Jepsen, C. LaMantia, and H. Carroll

1287 ADDITIONS AND CORRECTIONS

1289 ADDITIONS AND CORRECTIONS

Volume 141, Number 6, June 15, 1998

1291 **Different *cis*-regulatory DNA elements mediate developmental stage- and tissue-specific expression of the human *COL2A1* gene in transgenic mice.**
K.K.H. Leung, L.J. Ng, K.K.Y. Ho, P.P.L. Tam, and K.S.E. Cheah

1301 **Interaction of vault particles with estrogen receptor in the MCF-7 breast cancer cell.**
C. Abbondanza, V. Rossi, A. Roscigno, L. Gallo, A. Belsito, G. Piluso, N. Medici, V. Nigro, A.M. Molinari, B. Moncharmont, and G.A. Puca

1311 **GalNAc-α-*O*-benzyl inhibits NeuAcα2-3 glycosylation and blocks the intracellular transport of apical glycoproteins and mucus in differentiated HT-29 cells.**
G. Huet, S. Hennebicq-Reig, C. de Bolos, F. Ulloa, T. Lesuffleur, A. Barbat, V. Carrière, I. Kim, F.X. Real, P. Delannoy, and A. Zweibaum

1323 **The protozoan parasite *Toxoplasma gondii* targets proteins to dense granules and the vacuolar space using both conserved and unusual mechanisms.**
V. Karsten, H. Qi, C.J.M. Beckers, A. Reddy, J.-F. Dubremetz, P. Webster, and K.A. Joiner

1335 **Specific single or double proline substitutions in the "spring-loaded" coiled-coil region of the influenza hemagglutinin impair or abolish membrane fusion activity.**
H. Qiao, S.L. Pelletier, L. Hoffman, J. Hacker, R.T. Armstrong, and J.M. White

1349 **A calcium signaling cascade essential for myosin thick filament assembly in *Xenopus* myocytes.**
M.B. Ferrari, K. Ribbeck, D.J. Hagler, Jr., and N.C. Spitzer

1357 **The Src homology domain 3 (SH3) of a yeast type I myosin, Myo5p, binds to verprolin and is required for targeting to sites of actin polarization.**
B.L. Anderson, I. Boldogh, M. Evangelista, C. Boone, L.A. Greene, and L.A. Pon

1371 **Interaction between mitochondria and the actin cytoskeleton in budding yeast requires two integral mitochondrial outer membrane proteins, Mmm1p and Mdm10p.**
I. Boldogh, N. Vojtov, S. Karmon, and L.A. Pon

1383 **Spindle assembly and mitosis without centrosomes in parthenogenetic *Sciara* embryos.**
B. de Saint Phalle and W. Sullivan

1393 **Mammalian p55CDC mediates association of the spindle checkpoint protein Mad2 with the cyclosome/anaphase-promoting complex, and is involved in regulating anaphase onset and late mitotic events.**
M. Kallio, J. Weinstein, J.R. Daum, D.J. Burke, and G.J. Gorbsky

1407 **OCI-5/GPC3, a glypican encoded by a gene that is mutated in the Simpson-Golabi-Behmel overgrowth syndrome, induces apoptosis in a cell line–specific manner.**
A.D. Gonzalez, M. Kaya, W. Shi, H. Song, J.R. Testa, L.Z. Penn, and J. Filmus

1415 **A giant ubiquitin-conjugating enzyme related to IAP apoptosis inhibitors.**
H.-P. Hauser, M. Bardroff, G. Pyrowolakis, and S. Jentsch

1423 **The regulation of reactive oxygen species production during programmed cell death.**
S. Tan, Y. Sagara, Y. Liu, P. Maher, and D. Schubert

1433 **Differential nuclear translocation and transactivation potential of β-catenin and plakoglobin.**
I. Simcha, M. Shtutman, D. Salomon, J. Zhurinsky, E. Sadot, B. Geiger, and A. Ben-Ze'ev

1449 **Tyrosine phosphorylation and Src family kinases control keratinocyte cell–cell adhesion.**
E. Calautti, S. Cabodi, P.L. Stein, M. Hatzfeld, N. Kedersha, and G.P. Dotto

1467 **Cadherin-6 mediates the heterotypic interactions between the hemopoietic osteoclast cell lineage and stromal cells in a murine model of osteoclast differentiation.**
G. Mbalaviele, R. Nishimura, A. Myoi, M. Niewolna, S.V. Reddy, D. Chen, J. Feng, D. Roodman, G.R. Mundy, and T. Yoneda

1477 ADDITIONS AND CORRECTIONS

1479 **Suppression of steady-state, but not stimulus-induced NF-κB activity inhibits alphavirus-induced apoptosis.**
K.-I Lin, J.A. DiDonato, A. Hoffmann, J.M. Hardwick, and R.R. Ratan

1489 **Localization, dynamics, and protein interactions reveal distinct roles for ER and Golgi SNAREs.**
J.C. Hay, J. Klumperman, V. Oorschot, M. Steegmaier, C.S. Kuo, and R.H. Scheller

1503 **The SNARE machinery is involved in apical plasma membrane trafficking in MDCK cells.**
S.H. Low, S.J. Chapin, C. Wimmer, S.W. Whiteheart, L.G. Kömüves, K.E. Mostov, and T. Weimbs

1515 **The mammalian calcium-binding protein, nucleobindin (CALNUC), is a Golgi resident protein.**
P. Lin, H. Le-Niculescu, R. Hofmeister, J.M. McCaffery, M. Jin, H. Hennemann, T. McQuistan, L. De Vries, and M.G. Farquhar

1529 **G protein β subunit–null mutants are impaired in phagocytosis and chemotaxis due to inappropriate regulation of the actin cytoskeleton.**
B. Peracino, J. Borleis, T. Jin, M. Westphal, J.-M. Schwartz, L. Wu, E. Bracco, G. Gerisch, P. Devreotes, and S. Bozzaro

1539 **Claudin-1 and -2: Novel integral membrane proteins localizing at tight junctions with no sequence similarity to occludin.**
M. Furuse, K. Fujita, T. Hiiragi, K. Fujimoto, and S. Tsukita

1551 **Mechanical fluctuations of the membrane–skeleton are dependent on F-actin ATPase in human erythrocytes.**
S. Tuvia, S. Levin, A. Bitler, and R. Korenstein

1563 **C-Nap1, a novel centrosomal coiled-coil protein and candidate substrate of the cell cycle–regulated protein kinase Nek2.**
A.M. Fry, T. Mayor, P. Meraldi, Y.-D. Stierhof, K. Tanaka, and E.A. Nigg

1575 **A role for NIMA in the nuclear localization of cyclin B in *Aspergillus nidulans*.**
L. Wu, S.A. Osmani, and P.M. Mirabito

1589 **Structural analysis of *Drosophila* Merlin reveals functional domains important for growth control and subcellular localization.**
D.R. LaJeunesse, B.M. McCartney, and R.G. Fehon

1601 **Activity-dependent regulation of dendritic BC1 RNA in hippocampal neurons in culture.**
I.A. Muslimov, G. Banker, J. Brosius, and H. Tiedge

1613 **A role of tyrosine phosphatase in acetylcholine receptor cluster dispersal and formation.**
Z. Dai and H.B. Peng

1625 **Molecular dissection of the Rho-associated protein kinase (p160ROCK)-regulated neurite remodeling in neuroblastoma N1E-115 cells.**
M. Hirose, T. Ishizaki, N. Watanabe, M. Uehata, O. Kranenburg, W.H. Moolenaar, F. Matsumura, M. Maekawa, H. Bito, and S. Narumiya

1637 **Src family tyrosine kinase regulates intracellular pH in cardiomyocytes.**
M. Pucéat, S. Roche, and G. Vassort

1647 **Activation of the MAP kinase pathway by FGF-1 correlates with cell proliferation induction while activation of the Src pathway correlates with migration.**
T.M. LaVallee, I.A. Prudovsky, G.A. McMahon, X. Hu, and T. Maciag

1659 **Fibroblast growth factor-2 (FGF-2) induces vascular endothelial growth factor (VEGF) expression in the endothelial cells of forming capillaries: An autocrine mechanism contributing to angiogenesis.**
G. Seghezzi, S. Patel, C.J. Ren, A. Gualandris, G. Pintucci, E.S. Robbins, R.L. Shapiro, A.C. Galloway, D.B. Rifkin, and P. Mignatti

1675 **The laminin–nidogen complex is a ligand for a specific splice isoform of the transmembrane protein tyrosine phosphatase LAR.**
P. O'Grady, T.C. Thai, and H. Saito

1685 **Complementary roles for receptor clustering and conformational change in the adhesive and signaling functions of integrin $\alpha_{IIb}\beta_3$.**
T. Hato, N. Pampori, and S.J. Shattil

1697 **AUTHOR INDEX FOR VOLUME 141**

1707 **SUBJECT INDEX FOR VOLUME 141**